

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Reference number: 36851 Issue date: 04-05-17 Revision date: 24-09-20 Supersedes version of: 04-05-17 Version: 1.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form · Mixture

Product name : XTEC 0W30 F BARDAHL Product code : 36851 # 7313685VR1 Type of product : Lubricants and additives

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# 1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use

Function or use category : Lubricants and additives

# 1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

#### Distributor

SADAPS BARDAHL Additives & Lubricants ZI TOURNAI OUEST 2 - RUE DU MONT DES CARLIERS, 3 7522 TOURNAI - BELGIQUE

T +32 (0).69.59.03.60 - F +32 (0).69.59.03.61 msds@bardahlfrance.com - www.bardahl.fr

#### Supplier

SADAPS BARDAHL Additives & Lubricants ZI TOURNAI OUEST 2 - RUE DU MONT DES CARLIERS, 3 7522 TOURNAI - BELGIQUE

T +32 (0).69.59.03.60 - F +32 (0).69.59.03.61 msds@bardahlfrance.com - www.bardahl.fr

# 1.4. Emergency telephone number

Emergency number : + 32 (0)70.245.245 / +33 (0)1.45.42.59.59

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
Saudi Arabia	Poison Control Center-Riyadh	General Directorate of Health Affairs Medial Province	+966 112324189 +966 112324189	
United Arab Emirates	Health Authority – Abu Dhabi (HAAD) Poison & Drug Information Center (PDIC)	P.O. Box 5674 Abu Dhabi	+ 800-424	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Adverse physicochemical, human health and environmental effects

No additional information available

# 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children. P280 - Wear protective gloves.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor. P501 - Dispose of contents/container to a hazardous or special waste collection point.

EUH-statements : EUH208 - Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

Child-resistant fastening : Not applicable Tactile warning : Not applicable

# 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates (petroleum), hydrotreated heavy paraffinic (Note L)	(CAS-No.) 64742-54-7 (EC-No.) 265-157-1 (EC Index-No.) 649-467-00-8 (REACH-no) 01-2119484627-25	50-80	Asp. Tox. 1, H304
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (Note L)	(CAS-No.) 72623-86-0 (EC-No.) 276-737-9 (EC Index-No.) 649-482-00-X (REACH-no) 01-2119474878-16	2.5-10	Asp. Tox. 1, H304
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (Note L)	(CAS-No.) 72623-87-1 (EC-No.) 276-738-4 (EC Index-No.) 649-483-00-5 (REACH-no) 01-2119474889-13	2.5-10	Asp. Tox. 1, H304
C14-16-18 Alkyl phenol	(EC-No.) 931-468-2 (REACH-no) 01-2119498288-19	0.1-2.5	Skin Sens. 1B, H317 STOT RE 2, H373

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. Full text of H-statements: see section 16

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If medical advice is needed, have product container or label at hand.

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Remove contaminated clothes. Wash skin with plenty of water. Wash contaminated clothing before reuse.

24-09-20 (Version: 1.1) EN (English) 2/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

First-aid measures after ingestion : Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May produce an allergic reaction.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam. Unsuitable extinguishing media : Do not use a heavy water stream.

# 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other

toxic gases

#### 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Prevent liquid from entering sewers, watercourses, underground or low areas.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Eliminate every possible source of ignition. Ensure adequate ventilation,

especially in confined areas. Spill area may be slippery. Keep public away from danger

area. Equip cleanup crew with proper protection.

# 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

# 6.2. Environmental precautions

Dike for recovery or absorb with appropriate material. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters

# 6.3. Methods and material for containment and cleaning up

For containment : Recover the product with absorbent material.

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.

Other information : Spill area may be slippery.

# 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13: "Disposal considerations".

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Hygiene measures : Wash contaminated clothing before reuse. Always wash hands after handling the product.

24-09-20 (Version: 1.1) EN (English) 3/10

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide local exhaust or general room ventilation. Storage conditions : Store in a closed container. Keep out of frost.

Heat and ignition sources : Keep away from naked flames/heat. Keep away from ignition sources.

Information on mixed storage : Keep away from food, drink and animal feeding stuffs. Storage area : Store in a well-ventilated place. Store in a dry place.

Special rules on packaging : Store in original container.

# 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
EU - Occupational Exposure Limits		
IOELV TWA (mg/m³)	5 mg/m³ 8H	
Belgium - Occupational Exposure Limits		
Limit value [mg/m³] 5 mg/m³		

# 8.2. Exposure controls

#### Hand protection:

Gloves. EN 374

# Eye protection:

Safety glasses. EN 166

# Skin and body protection:

Wear suitable protective clothing

# Respiratory protection:

Good ventilation of the workplace required

# Personal protective equipment symbol(s):





# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Oily.
Colour : brown.
Odour : characteristic.
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Melting point : No data available

Freezing point : -45 °C ASTM D5950 (point d'écoulement)

Boiling point : No data available

Flash point : 230 °C ASTM D92 (COC)

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available

Density : 0,845 kg/l (15 °C) - ASTM D4052

Solubility : Practically not miscible.
Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic : 49,3 mm²/s (40 °C) - ASTM D7279

Viscosity, dynamic : No data available

Explosive properties : Presents no particular fire or explosion hazard.

Oxidising properties : No data available Explosive limits : No data available

# 9.2. Other information

VOC content : 0 %

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Stable under normal conditions of use.

# 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Not established.

# 10.4. Conditions to avoid

Heat. Open flame. Sparks. Water, humidity. Freezing.

# 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	> 5,53 mg/l/4h

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)	
LD50 oral rat	> 5000 mg/kg OCDE 401
LD50 dermal rabbit	> 2000 mg/kg OCDE 402
LC50 Inhalation - Rat	> 5,53 mg/l OCDE 403
LC50 Inhalation - Rat (Dust/Mist)	> 5,53 mg/l/4h

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)	
LD50 oral rat	> 5000 mg/kg OECD401
LD50 dermal rabbit	> 2000 mg/kg OECD402
LC50 Inhalation - Rat	5,53 mg/l/4h méthode OCDE 403

bis(nonylphenyl)amine (36878-20-3)	
LD50 oral rat	> 5000 mg/kg (OCDE 401)
LD50 dermal rat	> 2000 mg/kg (OCDE 402)

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified : Not classified Carcinogenicity Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

XTEC 0W30 F BARDAHL	
Viscosity, kinematic	49,3 mm²/s (40 °C) - ASTM D7279

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

: Not classified: Not classified

(chronic)

Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)		
LC50 fish 1	> 100 mg/l Pimephales promelas, 96h - OCDE 203	
EC50 Daphnia 1	> 10000 mg/l Gammarus pulex, 48h - OCDE 202	
EC50 Daphnia 2	> 10000 mg/l Daphnia magna, 48h - OCDE 202	
ErC50 (algae)	> 100 mg/l	
NOEC chronic fish	≥ 1000 mg/l Oncorhynchus mykiss - QSAR Petrotox 14/28d	
NOEC chronic crustacea	10 mg/l Daphnia magna, 21d - OCDE 211	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)	
LC50 fish 1	> 100 mg/l Pimephales promelas, 96h (OCDE 203)
LC50 other aquatic organisms 1	> 10000 mg/l Gammarus pulex, (OCDE 202)
NOEC chronic crustacea	10 mg/l Daphnia magna, (OCDE 211)
NOEC chronic algae	> 100 mg/l (72h - OCDE 201)

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)		
LC50 fish 1	> 100 mg/l (Pimephales promelas, 96h) (méthode OCDE 203)	
LC50 other aquatic organisms 1	> 10000 mg/l (Gammarus pulex, 48h) (méthode OCDE 202)	

bis(nonylphenyl)amine (36878-20-3)	
LC50 fish 1	> 100 mg/l (OCDE 203)
EC50 Daphnia 1	> 100 mg/l (OCDE 202)
EC50 72h algae (1)	> 100 mg/l (OCDE 201)
EC50 96h algae (1)	870 mg/l
NOEC chronic crustacea	> 10 mg/l
NOEC chronic algae	> 10 mg/l

# 12.2. Persistence and degradability

Distillates (petroleum),	hydrotreated heavy paraffinic (64742-54-7)

31 % Biodegradation

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)		
Persistence and degradability	Not readily biodegradable.	
Biodegradation	31 % (28d) OCDE 301F	

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)	
Biodegradation	31 % (28d) (méthode OCDE 301F)

bis(nonylphenyl)amine (36878-20-3)	
Persistence and degradability	Not readily biodegradable.
Biodegradation	1 % (test concentration 20.1 mg/L)

# 12.3. Bioaccumulative potential

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)	
Partition coefficient n-octanol/water (Log Kow)	> 6

bis(nonylphenyl)amine (36878-20-3)	
Partition coefficient n-octanol/water (Log Pow)	> 7,6

# 12.4. Mobility in soil

Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based (72623-86-0)	
Ecology - soil	insoluble in water.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ecology - soil Product adsorbs onto the soil.

# bis(nonylphenyl)amine (36878-20-3)

Mobility in soil Après libération, est absorbé par le sol

#### 12.5. Results of PBT and vPvB assessment

# Component

bis(nonylphenyl)amine (36878-20-3)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# 12.6. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste treatment methods : Dispose of this material and its container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

Sewage disposal recommendations : Do not discharge into drains or the environment.

Product/Packaging disposal recommendations : Collect all waste in suitable and labelled containers and dispose according to local

legislation.

Additional information : Empty the packaging completely prior to disposal. Do not re-use empty containers.

Ecology - waste materials : Do not discharge the product into the environment.

# **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	RID
14.1. UN number			
Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	14.2. UN proper shipping name		
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	class(es)		
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group	14.4. Packing group		
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards		
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

# 14.6. Special precautions for user

# **Overland transport**

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### Rail transport

Not applicable

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 0 %

#### 15.1.2. National regulations

#### France

Occupational diseases : RG 36 - Affections provoquées par les huiles et graisses d'origine minérale ou de synthèse

RG 49 - Affections cutanées provoquées par les amines aliphatiques, alicycliques ou les

éthanolamines

RG 65 - Lésions eczématiformes de mécanisme allergique

: Distillates (petroleum), hydrotreated heavy paraffinic is listed

Distillates (petroleum), hydrotreated heavy paraffinic is listed

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

None of the components are listedNone of the components are listed

: None of the components are listed

Denmark

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

# 15.2. Chemical safety assessment

No additional information available

# **SECTION 16: Other information**

Full text of H- and EUH-statements:	
Asp. Tox. 1	Aspiration hazard, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H304	May be fatal if swallowed and enters airways.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H317	May cause an allergic skin reaction.
H373	May cause damage to organs through prolonged or repeated exposure.
EUH208	Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.